


| | | |
|--|---|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT  | ATTY. DOCKET NO.: 1038-1273 MIS:df | SERIAL NO.: 10/699,683 |
| | APPLICANT: Robert C. Brunham, et al. | |
| | FILING DATE November 4, 2003 | GROUP 1645 |


U.S. PATENT DOCUMENTS

| *INITIAL | DOCUMENT NO. | DATE | NAME | CLASS | SUBCL. | FILING DATE |
|----------|--------------|----------|---------------|-------|--------|-------------|
| V87 | 5,770,714 | 23/06/98 | Agabian et al | 536 | 23.1 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS


| | DOCUMENT NO. | DATE | COUNTRY | CLASS | SUBCL. | TRANSLATION | |
|-----|--------------|----------|---------|--------------|--------------|-------------|----|
| V80 | EP 0192033 | 27/08/86 | EPO | X | X | YES | NO |
| | WO 98/10789 | 19/03/98 | PCT | | | | |
| | WO 98/02546 | 22/01/98 | PCT | | | | |
| | WO 98/48026 | 10/29/98 | PCT | | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | | | | | | |
|-----------|---|--|--|------------------|--|--------|--|
| V80 | 1 | Grayston, J.T. and S.-P. Wang. 1975. New knowledge of chlamydiae and the diseases they cause. J. Infect. Dis., 132: 87-104. | | | | | |
| | 2 | Grayston, J.T., S.-P. Wang, L.-J. Yeh, and C.-C. Kuo. 1985. Importance of reinfection in the pathogenesis of trachoma. Rev. Infect. Dis. 7:717-725. | | | | | |
| | 3 | Taylor, H.R., et al., 1982. Animal Model of Trachema. II. The importance of repeated infection. Invest. Ophthalmol. Visual. Sci. 23:507-515. | | | | | |
| | 4 | Taylor, H.R., et al. 1981. An Animal Model for Cicatrizing Trachoma. Invest. Ophthalmol. Sci. 21:422-433. | | | | | |
| | 5 | Caldwell, H.D., et al. 1987. Tear and serum antibody response to <i>chlamydia trachomatis</i> antigens during acute chlamydial conjunctivitis in monkeys as determined by immunoblotting. Infect. Immun. 55:93-98. | | | | | |
| | 6 | Wang, S.-P., et al., 1985. Immunotyping of <i>Chlamydia trachomatis</i> with monoclonal antibodies. J. Infect. Dis. 152:791-800. | | | | | |
| | 7 | Nichols, R.L., et al., 1973. Immunity to chlamydial infections of the eye. VI. Homologous neutralization of trachoma infectivity for the owl monkey conjunctivae by eye secretions from humans with trachoma. J. Infect. Dis. 127:429-432. | | | | | |
| EXAMINER: | |  | | DATE CONSIDERED: | | 5/2/08 | |


*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication with applicant.

| | | |
|---|--|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. 1038-1273 MIS:df | SERIAL NO. 10/699,683 |
| | APPLICANT: Robert C. Brunham, et al | |
| | FILING DATE November 4, 2003 | GROUP 1645 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|---|----|---|
| ✓ | 8 | Orenstein, N.S., et al., 1973. Immunity to chlamydial infections of the eye V. Passive transfer of antitrachoma antibodies to owl monkeys. Infect. Immun. 7:600-603. |
| | 9 | Ramsey, KH, et al., (Mar. 1991) Resolution of Chlamydia Genital Infection with Antigen-Specific T-Lymphocyte Lines. Infect. and Immun. 59:925-931. |
| | 10 | Magee, DM, et al., (1995). Role of CD8 T Cells in Primary <i>Chlamydia</i> Infection. Infect. Immun. Feb. 1995. 63:516-521. |
| | 11 | Su, H. and Caldwell, HD., (1995) CD4+ T Cells Play a Significant Role in Adoptive Immunity to <i>Chlamydia trachomatis</i> Infection of the Mouse Genital Tract. Infect. Immun. Sept. 1995, 63: 3302-3308. |
| | 12 | Beatty, PR., and Stephens RS., (1994) CD8+ T Lymphocyte-Mediated Lysis of <i>Chlamydia</i> -Infected L Cells Using an Endogenous Antigen Pathway., Journal of Immun. 1994, 153:4588. |
| | 13 | Starnbach, MN., Bevan, MJ. and Lampe, MF. (1994), Protective Cytotoxic T. Lymphocytes are Induced During Murine Infection with <i>Chlamydia trachomatis</i> , Journal of Immun. 1994, 153:5183-5189. |
| | 14 | Starnbach, MN, Bevan, MJ. And Lampe, MF., (1995), Murine Cytotoxic T. Lymphocytes Induced Following <i>Chlamydia trachomatis</i> Intraperitoneal or Genital Tract Infection Respond to Cells Infected with Multiple Serovars., Infect. & Immun. Sept. 1995, 63:3527-3530. |
| | 15 | Igietseme, JU, (1996), Molecular mechanism of T-cell control of <i>Chlamydia</i> in mice: role of nitric oxide <i>in vivo</i> . Immunology 1996, 88:1-5. |
| | 16 | Igietseme. JU, (1996), The Molecular mechanism of T-cell control of <i>Chlamydia</i> in mice; role of nitric oxide. Immunology 1996, 87:1-8. |
| | 17 | Ward, M.E. 1992. Chlamydial vaccines - future trends. J. Infection <u>25</u> , Supp. 1:11-26. |
| | 18 | Caldwell, H.D., et al., (1981). Purification and partial characterization of the major outer membrane protein of <i>Chlamydia trachomatis</i> . Infect. Immun. 31:1161-1176. |
| | 19 | Bavoil, P., Ohlin, A. and Schachter, J., (1984) Role of Disulfide Bonding in Outer Membrane Structure and Permeability in <i>Chlamydia trachomatis</i> . Infect. Immun., 44: 479-485. |
| | 20 | Campos, M., et al., (1995) A <i>Chlamydia</i> Major Outer Membrane Protein Extract as a Trachoma Vaccine Candidate., Invest. Ophthalmol. Vis. Sci. <u>36</u> :1477-1491. |
| | 21 | Zhang Y.-X., et al., (1989). Protective monoclonal antibodies to <i>Chlamydia trachomatis</i> serovar- and serogroup-specific major outer membrane protein determinants. Infect. Immun. 57:636-638. |
| ✓ | 22 | Zhang, Y.-X., et al., 1987. Protective monoclonal antibodies recognise epitopes located on the major outer membrane protein of <i>Chlamydia trachomatis</i> . J. Immunol. 138:575-581. |
| EXAMINER:  | | DATE CONSIDERED: 5/24/05 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication with applicant.


| | | |
|---|---|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. 1038-1273 MIS:df | SERIAL NO. 10/699,683 |
| | APPLICANT: Robert C. Brunham, et al. | |
| | FILING DATE November 4, 2003 | GROUP 1645 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|---|--|-------------------------|
| 23 | Department of Health and Human Services, (1989) Nucleotide and amino acid sequences of the four variable domains of the major outer membrane proteins of <i>Chlamydia trachomatis</i> . Report Nos: PAT-APPL-7-324664. National Technical Information Services, Springfield, VA. | |
| 24 | Yuan, Y., et al. (1989) Nucleotide and deduced amino acid sequences for the four variable domains of the major outer membrane proteins of the 15 <i>Chlamydia trachomatis</i> serovars. Infect. Immun. 57:1040-1049. | |
| 25 | Su, H. and Caldwell, H.D. 1992. Immunogenicity of a chimeric peptide corresponding to T-helper and B-cell epitopes of the <i>Chlamydia trachomatis</i> major outer membrane protein. J. Exp. Med. 175:227-235. | |
| 26 | Su, H., N.G. Watkins. Y.-X. Zhang and H.D. Caldwell (1990). <i>Chlamydia trachomatis</i> -host cell interactions: role of the chlamydial major outer membrane protein as an adhesin. Infect. Immun. 58:1017-1025. | |
| 27 | Peeling, R., I.W. McClean and R.C. Brunham. (1984). <i>In vitro</i> neutralization of <i>Chlamydia trachomatis</i> with monoclonal antibody to an epitope on the major outer membrane protein. Infect. Immun. 46:484-488. | |
| 28 | Lucero, M.E. and C.-C. Kuo. (1985). Neutralization of <i>Chlamydia trachomatis</i> cell culture infection by serovar specific monoclonal antibodies. Infect. Immun. 50:595-597. | |
| 29* | Baehr, W., et al. (1988) Mapping antigenic domains expressed by <i>Chlamydia trachomatis</i> major outer membrane protein genes. Proc. Natl. Acad. Sci. USA, 85:4000-4004. | |
| 30 | Stephens, R.S., et al. (1988) High-resolution mapping of serovar-specific and common antigenic determinants of the major outer membrane protein of <i>Chlamydia trachomatis</i> . J. Exp. Med. 167:817-831. | |
| 31 | Conlan, J.W., I.N. Clarke and M.E. Ward. (1988). Epitope mapping with solid-phase peptides: Identification of type-, subspecies-, species-, and genus-reactive antibody binding domains on the major outer membrane protein of <i>Chlamydia trachomatis</i> . Mol. Microbiol. 2:673-679. | |
| 32 | Conlan, J.W., et al., (1990). Isolation of recombinant fragments of the major outer membrane protein of <i>Chlamydia trachomatis</i> : their potential as subunit vaccines. J. Gen. Microbiol. 136: 2013-2020 | |
| 33 | Morrison, R.P., D.S. Manning, and H.D. Caldwell. (1992). Immunology of <i>Chlamydia trachomatis</i> infections. p. 57-84 <u>in</u> T.C. Quinn (ed) Sexually transmitted diseases. Raven Press Ltd., NY. | |
| 34 | Kersten, G.F.A. and Crommelin, D.J.A. (1995). Liposomes and ISCOMs as vaccine formulations. Biochimica et Biophysica Acta 1241 (1995) 117-138. | |
| EXAMINER:  | | DATE CONSIDERED: 5/2/05 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication with applicant.

* to follow

| | | |
|---|---|--------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. 1038-1273 MIS:df | SERIAL NO. 10/699,683 |
| | APPLICANT: Robert C. Brunham, et al. | |
| | FILING DATE November 4, 2003 | GROUP 1645 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|---|--|-------------------------|
| 35 | Morein, B., et al., (1990) The iscom - a modern approach to vaccines seminars in Virology, Vol. 1, 1990: pp. 49-55. | |
| 36 | Mowat & Reid, 1992. Preparation of Immune Stimulating Complexes (ISCOMs) as Adjuvants. Current Protocols in Immunology 1992. Supplement 4: 2.11.1. to 2.11.12. | |
| 37 | M.A. Liu et al. Overview of DNA vaccines. 1995. Ann. N.Y. Acad. Sci. 772:15-20. | |
| 38 | W.M. McDonnell and F.K. Askari Molecular medicine. 1996. N.Engl. J. Med. 334:42-45. | |
| 39 | J.B. Ulmer et al. Heterologous protectin against infjuenza by injection of DNA encoding a viral protein. 1993. Science 259:1745-1749. | |
| 40 | M. Sedegah et al. Protein against malaria by immunization with plasmid DNA encoding circumsporozoite protein. 1994. Proc. Natl. Acad. Sci. U.S.A. 91:9866. | |
| 41 | A. Darji et al. Oral somatic transgene vaccination using attenuated S. typhimurium. 1997. Cell 91:765-775. | |
| 42 | D.R. Sizemore, Attenuatec bacteria as a DNA delivery vehicle for DNA-mediated immunization. 1997. Vaccine 15:804-807. | |
| 43 | D. O'Callaghan and A. Charbit. High efficiency transformation of salmonella typhimurium and salmonella typhi by electroporation. 1990. Mol. Gen. Genet. 223:156-158. | |
| 44 | R. Brunham et al. Chlamydia trachomatis from individuals in a sexually transmitted disease cor group exhibit frequent sequence variation in the major outer membrane protein (omp1) gene. 1994. J. Clin. Invest. 94:458-463. | |
| 45 | R.P. Morrison et al. Gene knockout mice establish a primary protective role for major histocompatibility complex class II-Restricted responses in Chlamydia trachomatis genital tract infection. 1995. Infect. Immun. 63:4661-4668. | |
| 46 | K.Y. Leung et al., Intracellular replication is essential for the virulence of Salmonella typhimurium. 1991, PNAS 88(24):11470-11474. | |
| 47 | L.J. Hayes, et al. Chlamydia trachomatis major outer membrane protein epitopes expressed as fusions with LamB in an attenuated aro A strain of Salmonella typhimurium; their application as potential immunogens. (1991) pp. 1557-1564. XP-000877372 | |
| | | |
| | | |
| EXAMINER:  | | DATE CONSIDERED: 5/2/05 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication with applicant.